



Legend:

▲ Measure result is statistically significant above prior year (p < 0.05)

▼ Measure result is statistically significant below prior year (p < 0.05)

 Can report benchmark

 Rotated measures*

† Statewide Weighted Rate

* In March 2020, NCQA recognized that COVID-19 would likely impact plans’ ability to collect medical record data due to travel bans, quarantines, and efforts to minimize risk to staff. Therefore, NCQA allowed Medicaid plans participating in HEDIS reporting the option of submitting 2019 rates for their hybrid measures (“rotated measures”).

** 2021 performance indicates whether a measure is statistically different than national benchmarks.

*** Rates suppressed when the denominator is less than 30.

NR There was no data to report.

Measure Description	MCO	MY2019 Rate	MY2020 Rate	MY2021 Rate	MY2021 Performance**
Weight Assessment and Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC), BMI Percentile, 3-11 Years	Statewide†	71.4%	70.3%	77.6%	▲ At 50th
	AMG	73.4%	69.8%	79.5%	At 50th
	CCW	66.3%	64.5%	72.7%	Below 50th
	CHPW	76.4%	75.3%	76.6%	At 50th
	MHW	76.6%	75.9%	76.9%	At 50th
	UHC	64.9%	66.5%	81.9%	▲ At 50th
Weight Assessment and Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC), BMI Percentile, 12-17 Years	Statewide†	69.3%	64.3%	75.7%	▲ Below 50th
	AMG	71.3%	69.2%	85.3%	▲ At 50th
	CCW	60.0%	57.4%	73.6%	▲ At 50th
	CHPW	78.3%	72.6%	76.7%	At 50th
	MHW	73.7%	64.6%	71.7%	Below 50th
	UHC	63.7%	57.2%	71.3%	Below 50th
Weight Assessment and Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC), BMI Percentile, Total	Statewide†	70.7%	68.0%	76.9%	▲ Below 50th
	AMG	72.7%	69.6%	81.5%	▲ At 50th
	CCW	64.0%	61.8%	73.0%	▲ Below 50th
	CHPW	77.1%	74.2%	76.6%	At 50th
	MHW	75.7%	71.5%	74.7%	Below 50th
	UHC	64.5%	63.3%	78.6%	▲ At 50th
Weight Assessment and Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC), Nutrition Counseling, 3-11 Years	Statewide†	65.3%	65.7%	69.9%	Below 50th
	AMG	62.8%	58.1%	68.7%	At 50th
	CCW	76.6%	70.7%	73.8%	At 50th
	CHPW	64.1%	70.1%	72.5%	At 50th
	MHW	62.8%	62.9%	63.5%	Below 50th
	UHC	60.5%	67.3%	70.6%	At 50th
Weight Assessment and Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC), Nutrition Counseling, 12-17 Years	Statewide†	58.6%	55.1%	61.3%	Below 50th
	AMG	55.8%	54.8%	69.2%	At 50th
	CCW	59.3%	61.9%	67.9%	At 50th
	CHPW	60.8%	59.2%	58.9%	Below 50th
	MHW	59.1%	46.2%	54.3%	Below 50th
	UHC	57.8%	53.1%	58.1%	Below 50th
Weight Assessment and Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC), Nutrition Counseling, Total	Statewide†	63.0%	61.7%	66.7%	▲ Below 50th
	AMG	60.6%	56.9%	68.9%	▲ At 50th
	CCW	70.3%	67.4%	71.8%	At 50th
	CHPW	62.9%	65.7%	66.3%	Below 50th
	MHW	61.6%	56.5%	59.6%	Below 50th
	UHC	59.6%	62.3%	66.7%	Below 50th
Weight Assessment and Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC), Physical Activity Counseling, 3-11 Years	Statewide†	57.4%	59.4%	63.6%	Below 50th
	AMG	52.8%	53.6%	61.2%	Below 50th
	CCW	69.3%	63.3%	66.4%	At 50th
	CHPW	61.2%	60.2%	66.5%	At 50th
	MHW	56.2%	57.3%	58.0%	Below 50th
	UHC	48.9%	62.8%	65.6%	▲ At 50th
Weight Assessment and Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC), Physical Activity Counseling, 12-17 Years	Statewide†	61.1%	55.5%	65.2%	▲ Below 50th
	AMG	57.4%	54.8%	72.0%	▲ At 50th
	CCW	62.0%	61.9%	70.7%	At 50th
	CHPW	67.1%	58.6%	63.3%	Below 50th
	MHW	56.9%	48.1%	59.5%	Below 50th
	UHC	61.5%	53.8%	62.0%	Below 50th
Weight Assessment and Counseling for Nutrition and Physical Activity for Children & Adolescents (WCC), Physical Activity Counseling, Total	Statewide†	58.7%	57.9%	64.2%	▲ Below 50th
	AMG	54.3%	54.0%	65.0%	▲ At 50th
	CCW	66.7%	62.8%	67.9%	At 50th
	CHPW	63.4%	59.5%	65.1%	At 50th
	MHW	56.4%	53.8%	58.6%	Below 50th
	UHC	53.0%	59.6%	64.5%	At 50th

Measure Description	MCO	MY2019 Rate	MY2020 Rate	MY2021 Rate	MY2021 Performance**
Childhood Immunization Status (CIS), DTaP	Statewide†	78.2%	70.0% ▼	69.6%	At 50th
	AMG	75.2%	75.2%	67.6%	At 50th
	CCW	84.9%	81.5%	73.0% ▼	At 50th
	CHPW	76.4%	78.8%	69.8% ▼	At 50th
	MHW	76.6%	69.4% ▼	68.6%	At 50th
	UHC	77.6%	70.1%	68.9%	At 50th
Childhood Immunization Status (CIS), IPV	Statewide†	89.8%	83.1% ▼	85.3%	At 50th
	AMG	87.8%	88.8%	85.9%	At 50th
	CCW	94.2%	92.7%	89.5%	At 75th
	CHPW	89.3%	92.0%	83.7% ▼	At 50th
	MHW	88.1%	82.4% ▼	82.0%	Below 50th
	UHC	89.5%	87.1%	85.2%	At 50th
Childhood Immunization Status (CIS), MMR	Statewide†	89.1%	83.1% ▼	83.6%	At 50th
	AMG	87.6%	88.1%	83.9%	At 50th
	CCW	94.2%	89.5%	87.4%	At 75th
	CHPW	88.6%	89.1%	84.2%	At 50th
	MHW	85.6%	82.6%	79.8%	Below 50th
	UHC	89.3%	86.4%	82.5%	At 50th
Childhood Immunization Status (CIS), Hib	Statewide†	88.8%	82.2% ▼	84.3%	At 50th
	AMG	86.6%	87.6%	81.8%	At 50th
	CCW	92.9%	92.2%	89.5%	At 75th
	CHPW	88.6%	90.8%	84.2% ▼	At 50th
	MHW	87.6%	81.6% ▼	82.2%	At 50th
	UHC	88.3%	85.9%	83.9%	At 50th
Childhood Immunization Status (CIS), Hepatitis B	Statewide†	88.7%	80.4% ▼	87.2% ▲	At 50th
	AMG	86.6%	89.5%	86.6%	At 50th
	CCW	92.9%	92.7%	92.0%	At 75th
	CHPW	89.3%	91.5%	87.6%	At 50th
	MHW	86.6%	79.4% ▼	83.0%	Below 50th
	UHC	87.8%	86.4%	86.9%	At 50th
Childhood Immunization Status (CIS), VZV	Statewide†	88.2%	81.8% ▼	82.4%	At 50th
	AMG	85.9%	86.6%	82.2%	At 50th
	CCW	93.2%	87.8%	85.6%	At 50th
	CHPW	88.6%	88.6%	83.7%	At 50th
	MHW	85.2%	81.3%	78.8%	Below 50th
	UHC	88.3%	85.6%	81.5%	At 50th
Childhood Immunization Status (CIS), Pneumococcal	Statewide†	78.7%	70.0% ▼	70.4%	At 50th
	AMG	75.7%	75.4%	70.3%	At 50th
	CCW	84.7%	80.8%	75.9%	At 75th
	CHPW	78.1%	78.1%	68.1% ▼	At 50th
	MHW	75.7%	69.3% ▼	67.2%	At 50th
	UHC	79.3%	72.0%	70.6%	At 50th
Childhood Immunization Status (CIS), Hepatitis A	Statewide†	85.5%	77.9% ▼	79.5%	At 50th
	AMG	83.7%	85.4%	79.1%	At 50th
	CCW	91.5%	88.6%	83.2%	At 50th
	CHPW	85.9%	85.9%	81.0%	At 50th
	MHW	80.8%	77.2%	76.2%	Below 50th
	UHC	85.4%	81.3%	77.9%	At 50th
Childhood Immunization Status (CIS), Rotavirus	Statewide†	72.1%	67.8% ▼	69.7%	At 50th
	AMG	71.5%	70.3%	70.8%	At 50th
	CCW	79.3%	76.4%	73.0%	At 50th
	CHPW	72.0%	71.5%	68.9%	At 50th
	MHW	65.0%	67.3%	66.4%	At 50th
	UHC	72.5%	72.0%	69.3%	At 50th
Childhood Immunization Status (CIS), Influenza	Statewide†	57.2%	51.0% ▼	51.7%	Above 50th, Below 75th
	AMG	54.7%	52.8%	45.7%	At 50th
	CCW	67.4%	69.1%	57.2% ▼	At 75th
	CHPW	56.0%	61.1%	52.6%	At 75th
	MHW	52.1%	50.1%	47.7%	At 50th
	UHC	55.7%	56.9%	55.5%	At 75th
Childhood Immunization Status (CIS), Combo 3	Statewide†	71.9%	61.0% ▼	63.6%	At 50th
	AMG	68.9%	68.1%	63.0%	At 50th
	CCW	78.8%	73.5%	67.6%	At 50th
	CHPW	72.0%	72.8%	63.8% ▼	At 50th
	MHW	68.6%	60.2% ▼	60.3%	At 50th
	UHC	71.0%	64.0%	63.3%	At 50th
Childhood Immunization Status (CIS), Combo 7	Statewide†	62.5%	54.0% ▼	56.2%	At 50th
	AMG	61.8%	58.6%	57.4%	At 50th
	CCW	69.8%	65.0%	57.4%	At 50th
	CHPW	63.3%	62.8%	57.2%	At 50th
	MHW	55.2%	53.3%	53.0%	At 50th
	UHC	62.3%	57.2%	56.0%	At 50th

Measure Description	MCO	MY2019 Rate	MY2020 Rate	MY2021 Rate	MY2021 Performance**
Childhood Immunization Status (CIS), Combo 10	Statewide†	44.9%	38.2% ▼	40.2%	At 75th
	AMG	45.3%	40.4%	36.0%	At 50th
	CCW	54.0%	52.3%	43.1%	At 75th
	CHPW	42.8%	47.9%	42.3%	At 75th
	MHW	38.0%	37.5%	37.0%	At 50th
	UHC	44.3%	43.6%	42.8%	At 75th
Immunizations for Adolescents (IMA), Meningococcal	Statewide†	77.9%	77.5%	74.4%	Below 50th
	AMG	73.5%	74.9%	70.8%	Below 50th
	CCW	81.8%	78.4%	76.9%	Below 50th
	CHPW	81.5%	81.3%	79.1%	At 50th
	MHW	80.3%	76.2%	71.8%	Below 50th
	UHC	72.5%	76.9%	73.5%	Below 50th
Immunizations for Adolescents (IMA), Tdap	Statewide†	85.4%	86.8%	85.3%	At 50th
	AMG	82.5%	85.4%	82.7%	At 50th
	CCW	91.2%	86.4%	85.9%	At 50th
	CHPW	85.9%	90.0%	88.6%	At 50th
	MHW	87.3%	86.6%	83.5%	At 50th
	UHC	80.0%	85.4%	85.6%	At 50th
Immunizations for Adolescents (IMA), HPV	Statewide†	42.1%	42.3%	34.9% ▼	At 50th
	AMG	37.2%	38.2%	29.4%	Below 50th
	CCW	46.0%	47.2%	37.7%	At 50th
	CHPW	44.0%	46.7%	40.2%	At 50th
	MHW	44.5%	43.1%	33.8%	At 50th
	UHC	38.7%	36.3%	33.6%	At 50th
Immunizations for Adolescents (IMA), Combo 1	Statewide†	75.1%	75.2%	73.7%	Below 50th
	AMG	69.3%	72.5%	70.6%	Below 50th
	CCW	79.3%	75.7%	76.2%	At 50th
	CHPW	78.1%	79.8%	78.6%	At 50th
	MHW	78.8%	74.0%	71.3%	Below 50th
	UHC	70.1%	74.0%	72.0%	Below 50th
Immunizations for Adolescents (IMA), Combo 2	Statewide†	39.0%	39.2%	32.8% ▼	Below 50th
	AMG	33.6%	36.0%	28.2%	Below 50th
	CCW	41.8%	42.8%	34.3%	At 50th
	CHPW	41.1%	44.0%	39.4%	At 50th
	MHW	43.3%	38.9%	31.1%	At 50th
	UHC	35.3%	34.3%	30.9%	At 50th
Lead Screening in Children (LSC)	Statewide†	32.1%	33.2%	34.0%	Below 50th
	AMG	32.1%	31.4%	36.3%	Below 50th
	CCW	37.5%	33.6%	31.1%	Below 50th
	CHPW	39.7%	41.1%	40.6%	Below 50th
	MHW	25.5%	34.1%	34.8%	Below 50th
	UHC	25.5%	26.0%	27.0%	Below 50th
Breast Cancer Screening (BCS)	Statewide†	52.0%	48.0% ▼	44.9% ▼	Below 50th
	AMG	45.9%	42.5% ▼	40.7%	Below 50th
	CCW	52.0%	49.2% ▼	44.9% ▼	Below 50th
	CHPW	51.5%	46.2% ▼	42.3% ▼	Below 50th
	MHW	53.8%	49.7% ▼	46.9% ▼	Below 50th
	UHC	52.8%	48.9% ▼	45.2% ▼	Below 50th
Breast Cancer Screening (BCS-E), Total	Statewide†	NR	47.9%	44.7% ▼	No Benchmark
	AMG	NR	42.2%	40.6%	No Benchmark
	CCW	NR	49.1%	44.7% ▼	No Benchmark
	CHPW	NR	46.1%	42.2% ▼	No Benchmark
	MHW	NR	49.6%	46.8% ▼	No Benchmark
	UHC	NR	48.8%	45.1% ▼	No Benchmark
Cervical Cancer Screening (CCS)	Statewide†	57.6%	54.6%	52.8%	Below 50th
	AMG	54.1%	47.7%	44.5%	Below 50th
	CCW	56.0%	51.1%	53.5%	At 50th
	CHPW	54.0%	55.0%	55.8%	At 50th
	MHW	66.2%	65.9%	56.7%	At 50th
	UHC	57.7%	53.3%	53.3%	At 50th
Chlamydia Screening (CHL), 16-20 Years	Statewide†	48.9%	45.5% ▼	44.5%	Below 50th
	AMG	47.8%	45.8%	43.0%	Below 50th
	CCW	51.0%	48.2%	47.7%	Below 50th
	CHPW	46.9%	45.0%	43.4%	Below 50th
	MHW	49.3%	45.2% ▼	44.5%	Below 50th
	UHC	47.4%	44.0%	43.1%	Below 50th
Chlamydia Screening (CHL), 21-24 Years	Statewide†	59.5%	55.2% ▼	56.7% ▲	Below 50th
	AMG	58.6%	52.7% ▼	55.1%	Below 50th
	CCW	61.3%	57.6% ▼	58.3%	Below 50th
	CHPW	58.9%	53.7% ▼	54.9%	Below 50th
	MHW	60.1%	56.2% ▼	57.5%	Below 50th
	UHC	56.3%	52.2% ▼	54.7%	Below 50th

Measure Description	MCO	MY2019 Rate	MY2020 Rate	MY2021 Rate	MY2021 Performance**
Chlamydia Screening (CHL), Total	Statewide†	53.6%	49.9% ▼	50.3%	Below 50th
	AMG	53.4%	49.4% ▼	49.5%	Below 50th
	CCW	55.4%	52.2% ▼	52.3%	Below 50th
	CHPW	52.2%	48.9% ▼	48.7%	Below 50th
	MHW	54.0%	50.2% ▼	50.6%	Below 50th
	UHC	51.6%	48.0% ▼	48.6%	Below 50th
Appropriate Testing for Pharyngitis (CWP), 3-17 Years	Statewide†	79.6%	80.6%	79.3%	Above 50th, Below 75th
	AMG	76.2%	75.2%	74.9%	At 50th
	CCW	75.6%	78.9% ▲	83.5% ▲	At 75th
	CHPW	79.5%	80.9%	78.9%	At 75th
	MHW	80.8%	81.2%	79.0% ▼	Above 50th, Below 75th
	UHC	81.5%	84.5%	79.2%	At 50th
Appropriate Testing for Pharyngitis (CWP), 18-64 Years	Statewide†	76.8%	76.0%	74.9%	Above 75th
	AMG	73.5%	73.8%	73.0%	Above 75th
	CCW	76.3%	75.3%	75.9%	Above 75th
	CHPW	78.5%	77.7%	74.8%	Above 75th
	MHW	77.2%	76.6%	75.3%	Above 75th
	UHC	76.3%	74.1%	74.4%	Above 75th
Appropriate Testing for Pharyngitis (CWP), 65+ Years	Statewide†	***	***	NR	Below 50th
	AMG	NR	***	NR	Below 50th
	CCW	***	***	NR	Below 50th
	CHPW	***	NR	NR	Below 50th
	MHW	***	***	NR	Below 50th
	UHC	***	***	NR	Below 50th
Appropriate Testing for Pharyngitis (CWP), Total	Statewide†	78.6%	78.7%	76.7% ▼	At 75th
	AMG	74.9%	74.5%	73.7%	Above 50th, Below 75th
	CCW	75.9%	77.6%	79.8%	Above 75th
	CHPW	79.1%	79.7%	76.6% ▼	At 75th
	MHW	79.5%	79.4%	76.9% ▼	At 75th
	UHC	79.2%	79.3%	75.9%	At 75th
Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Statewide†	26.5%	21.8% ▼	19.0%	Below 50th
	AMG	26.3%	24.1%	17.8%	Below 50th
	CCW	23.5%	20.7%	16.7%	Below 50th
	CHPW	28.9%	21.1% ▼	14.5%	Below 50th
	MHW	26.9%	22.5%	20.2%	Below 50th
	UHC	25.1%	19.3%	23.6%	At 50th
Pharmacotherapy Management of COPD Exacerbation (PCE), Systemic Corticosteroid	Statewide†	74.1%	71.9%	72.4%	At 50th
	AMG	72.1%	71.3%	69.8%	At 50th
	CCW	73.5%	71.4%	76.8%	At 75th
	CHPW	74.9%	74.1%	70.4%	At 50th
	MHW	74.7%	73.7%	75.0%	At 75th
	UHC	74.2%	68.2%	68.3%	At 50th
Pharmacotherapy Management of COPD Exacerbation (PCE), Bronchodilator	Statewide†	85.1%	84.8%	86.5%	At 50th
	AMG	83.6%	85.1%	84.6%	At 50th
	CCW	84.4%	88.2%	88.1%	At 50th
	CHPW	83.9%	87.2%	85.7%	At 50th
	MHW	86.1%	86.8%	87.1%	At 50th
	UHC	86.6%	78.2% ▼	86.9% ▲	At 50th
Asthma Medication Ratio (AMR), 5-11 Years	Statewide†	65.3%	74.7% ▲	80.3% ▲	At 75th
	AMG	59.3%	81.4% ▲	81.0%	At 50th
	CCW	68.1%	77.3%	83.9%	At 75th
	CHPW	55.4%	60.9%	68.6%	Below 50th
	MHW	67.3%	76.5% ▲	83.9% ▲	Above 75th
	UHC	69.2%	74.7%	71.8%	At 50th
Asthma Medication Ratio (AMR), 12-18 Years	Statewide†	56.6%	65.8% ▲	69.2%	At 50th
	AMG	52.3%	66.7%	68.8%	At 50th
	CCW	55.4%	62.1%	74.1% ▲	At 50th
	CHPW	57.3%	61.2%	61.5%	Below 50th
	MHW	56.9%	68.2% ▲	72.7%	At 75th
	UHC	57.3%	61.8%	58.0%	Below 50th
Asthma Medication Ratio (AMR), 19-50 Years	Statewide†	49.9%	57.2% ▲	60.1% ▲	Above 50th, Below 75th
	AMG	44.0%	51.7% ▲	59.8% ▲	At 50th
	CCW	49.9%	53.7%	63.5% ▲	At 75th
	CHPW	61.6%	66.2%	51.4% ▼	Below 50th
	MHW	47.6%	57.5% ▲	64.4% ▲	Above 75th
	UHC	47.1%	52.9%	54.0%	Below 50th
Asthma Medication Ratio (AMR), 51-64 Years	Statewide†	54.5%	59.7% ▲	63.1%	At 75th
	AMG	50.8%	56.0%	63.1%	At 50th
	CCW	55.5%	57.7%	66.7%	At 75th
	CHPW	63.0%	64.8%	58.5%	At 50th
	MHW	51.7%	60.2% ▲	66.0% ▲	At 75th
	UHC	53.7%	57.4%	59.0%	At 50th

Measure Description	MCO	MY2019 Rate	MY2020 Rate	MY2021 Rate	MY2021 Performance**
Asthma Medication Ratio (AMR), Total	Statewide†	55.0%	62.1% ▲	64.7% ▲	At 50th
	AMG	48.2%	57.8% ▲	63.5% ▲	At 50th
	CCW	56.0%	60.7% ▲	69.7% ▲	At 75th
	CHPW	59.9%	64.2% ▲	56.6% ▼	Below 50th
	MHW	54.6%	63.7% ▲	68.9% ▲	At 75th
	UHC	53.3%	57.7%	57.4%	Below 50th
Controlling High Blood Pressure (CBP)	Statewide†	NR	59.5%	63.9% ▲	At 75th
	AMG	NR	57.4%	61.3%	At 50th
	CCW	NR	58.4%	60.1%	At 50th
	CHPW	NR	63.3%	64.6%	At 50th
	MHW	NR	56.0% ▼	65.5% ▲	At 75th
	UHC	NR	62.3%	68.1%	At 75th
Due to substantial changes in measure specifications between MY2019 and MY2020, MY2019 results are not displayed.					
Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Statewide†	79.6%	82.7%	84.7%	At 50th
	AMG	80.4%	77.0%	78.5%	At 50th
	CCW	83.8%	78.3%	85.9%	At 50th
	CHPW	82.2%	83.9%	86.1%	At 50th
	MHW	79.5%	86.9%	85.8%	At 50th
	UHC	72.3%	77.9%	86.0%	At 50th
Statin Therapy for Patients With Cardiovascular Disease (SPC), Received Statin Therapy, 21-75 Years (Male)	Statewide†	83.8%	83.9%	84.6%	At 75th
	AMG	83.5%	83.8%	84.0%	At 50th
	CCW	80.0%	81.7%	83.3%	At 50th
	CHPW	83.7%	80.9%	85.5%	At 50th
	MHW	84.8%	85.6%	84.9%	At 75th
	UHC	84.9%	84.2%	84.7%	At 50th
Statin Therapy for Patients With Cardiovascular Disease (SPC), Received Statin Therapy, 40-75 Years (Female)	Statewide†	82.0%	81.3%	79.8%	At 50th
	AMG	78.1%	79.8%	79.6%	At 50th
	CCW	85.1%	81.3%	78.4%	At 50th
	CHPW	83.3%	85.6%	81.5%	At 50th
	MHW	80.8%	80.5%	79.6%	At 50th
	UHC	84.1%	81.4%	80.4%	At 50th
Statin Therapy for Patients With Cardiovascular Disease (SPC), Received Statin Therapy Total	Statewide†	83.2%	83.1%	83.0%	At 75th
	AMG	82.1%	82.6%	82.6%	At 50th
	CCW	81.8%	81.6%	81.7%	At 50th
	CHPW	83.6%	82.3%	84.2%	At 75th
	MHW	83.3%	83.8%	83.0%	At 75th
	UHC	84.7%	83.2%	83.4%	At 50th
Statin Therapy for Patients With Cardiovascular Disease (SPC), Statin Adherence 80%, 21-75 Years (Male)	Statewide†	68.3%	74.3% ▲	68.8% ▼	At 50th
	AMG	70.7%	70.6%	69.2%	At 50th
	CCW	66.7%	71.5%	69.8%	At 50th
	CHPW	71.6%	80.4% ▲	69.8% ▼	At 50th
	MHW	68.5%	76.1% ▲	68.1% ▼	At 50th
	UHC	63.0%	70.3%	68.4%	At 50th
Statin Therapy for Patients With Cardiovascular Disease (SPC), Statin Adherence 80%, 40-75 Years (Female)	Statewide†	70.8%	75.9% ▲	70.5% ▼	At 50th
	AMG	65.9%	69.9%	61.7%	Below 50th
	CCW	73.3%	70.4%	74.6%	At 50th
	CHPW	74.0%	83.1%	70.3% ▼	At 50th
	MHW	70.3%	76.8%	69.8%	At 50th
	UHC	69.0%	76.0%	80.5%	At 75th
Statin Therapy for Patients With Cardiovascular Disease (SPC), Statin Adherence 80%, Total	Statewide†	69.1%	74.9% ▲	69.3% ▼	At 50th
	AMG	69.5%	70.4%	67.0%	At 50th
	CCW	69.1%	71.1%	71.2%	At 50th
	CHPW	72.5%	81.3% ▲	70.0% ▼	At 50th
	MHW	69.2%	76.3% ▲	68.7% ▼	At 50th
	UHC	64.8%	72.3% ▲	71.8%	At 50th
Cardiac Rehabilitation (CDE), Initiation: 18-64 Years	Statewide†	NR	3.5%	4.3%	At 75th
	AMG	NR	3.3%	2.7%	At 50th
	CCW	NR	2.9%	4.3%	At 75th
	CHPW	NR	2.2%	2.9%	At 50th
	MHW	NR	5.0%	5.9%	Above 75th
	UHC	NR	1.0%	3.2%	At 50th
Cardiac Rehabilitation (CDE), Initiation: 65+ Years	Statewide†	NR	7.1%	***	At 50th
	AMG	NR	***	***	At 50th
	CCW	NR	***	***	At 50th
	CHPW	NR	***	***	At 50th
	MHW	NR	***	***	At 50th
	UHC	NR	***	***	At 50th
Cardiac Rehabilitation (CDE), Initiation: Total	Statewide†	NR	3.5%	4.3%	At 75th
	AMG	NR	3.2%	2.7%	At 50th
	CCW	NR	2.8%	4.3%	At 75th
	CHPW	NR	2.2%	2.9%	At 50th
	MHW	NR	4.9%	5.9%	Above 75th
	UHC	NR	1.7%	3.2%	At 50th

Measure Description	MCO	MY2019 Rate	MY2020 Rate	MY2021 Rate	MY2021 Performance**
Cardiac Rehabilitation (CDE), Engagement 1: 18-64 Years	Statewide†	NR	4.3%	4.8%	At 75th
	AMG	NR	3.0%	3.9%	At 50th
	CCW	NR	5.3%	4.7%	At 50th
	CHPW	NR	3.2%	3.9%	At 50th
	MHW	NR	5.7%	5.8%	At 75th
	UHC	NR	2.3%	4.3%	At 50th
Cardiac Rehabilitation (CDE), Engagement 1: 65+ Years	Statewide†	NR	11.9%	***	At 50th
	AMG	NR	***	***	At 50th
	CCW	NR	***	***	At 50th
	CHPW	NR	***	***	Above 75th
	MHW	NR	***	***	At 50th
	UHC	NR	***	***	At 50th
Cardiac Rehabilitation (CDE), Engagement 1: Total	Statewide†	NR	4.4%	4.8%	At 75th
	AMG	NR	3.0%	3.8%	At 50th
	CCW	NR	5.7%	4.6%	At 50th
	CHPW	NR	3.5%	4.2%	At 50th
	MHW	NR	5.7%	5.8%	At 75th
	UHC	NR	2.9%	4.3%	At 50th
Cardiac Rehabilitation (CDE), Engagement 2: 18-64 Years	Statewide†	NR	2.6%	3.3%	At 75th
	AMG	NR	1.8%	2.3%	At 50th
	CCW	NR	3.4%	4.3%	At 50th
	CHPW	NR	1.6%	3.9%	At 50th
	MHW	NR	3.5%	3.7%	At 75th
	UHC	NR	1.3%	3.0%	At 50th
Cardiac Rehabilitation (CDE), Engagement 2: 65+ Years	Statewide†	NR	7.1%	***	At 50th
	AMG	NR	***	***	At 50th
	CCW	NR	***	***	At 50th
	CHPW	NR	***	***	Above 75th
	MHW	NR	***	***	At 50th
	UHC	NR	***	***	At 50th
Cardiac Rehabilitation (CDE), Engagement 2: Total	Statewide†	NR	2.7%	3.4%	At 75th
	AMG	NR	1.7%	2.3%	At 50th
	CCW	NR	3.8%	4.3%	At 50th
	CHPW	NR	1.9%	4.2%	At 50th
	MHW	NR	3.5%	3.7%	At 75th
	UHC	NR	1.4%	2.9%	At 50th
Cardiac Rehabilitation (CDE), Achievement: 18-64 Years	Statewide†	NR	0.4%	0.6%	At 50th
	AMG	NR	0.3%	0.5%	At 50th
	CCW	NR	1.9%	1.4%	At 50th
	CHPW	NR	0.0%	0.3%	At 50th
	MHW	NR	0.3%	0.4%	At 50th
	UHC	NR	0.3%	0.9%	At 50th
Cardiac Rehabilitation (CDE), Achievement: 65+ Years	Statewide†	NR	4.8%	***	At 50th
	AMG	NR	***	***	At 50th
	CCW	NR	***	***	At 50th
	CHPW	NR	***	***	Above 75th
	MHW	NR	***	***	At 50th
	UHC	NR	***	***	At 50th
Cardiac Rehabilitation (CDE), Achievement: Total	Statewide†	NR	0.5%	0.6%	At 50th
	AMG	NR	0.3%	0.5%	At 50th
	CCW	NR	2.4%	1.4%	At 50th
	CHPW	NR	0.0%	0.6%	At 50th
	MHW	NR	0.3%	0.4%	At 50th
	UHC	NR	0.5%	0.9%	At 50th
Comprehensive Diabetes Care (CDC), HbA1c Testing	Statewide†	89.7%	85.4% ▼	86.6%	At 50th
	AMG	90.3%	87.8%	82.5%	Below 50th
	CCW	90.0%	85.4%	87.4%	At 50th
	CHPW	89.3%	84.4%	85.9%	At 50th
	MHW	88.8%	83.0%	88.6%	At 50th
	UHC	90.3%	86.4%	88.8%	At 50th
Comprehensive Diabetes Care (CDC), Poor HbA1c Control (Note that a lower score is better for this measure)	Statewide†	35.8%	38.6%	37.6%	At 75th
	AMG	36.5%	40.2%	38.0%	At 50th
	CCW	41.4%	45.3%	44.8%	Below 50th
	CHPW	38.4%	41.1%	37.7%	At 50th
	MHW	31.6%	36.3%	35.5%	At 50th
	UHC	30.9%	30.4%	31.9%	At 75th
Comprehensive Diabetes Care (CDC), HbA1c Control < 8.0%	Statewide†	51.1%	50.6%	50.6%	At 50th
	AMG	51.8%	47.7%	50.6%	At 50th
	CCW	47.0%	44.5%	42.1%	Below 50th
	CHPW	46.7%	48.9%	50.6%	At 50th
	MHW	54.0%	53.5%	51.6%	At 50th
	UHC	56.2%	58.2%	57.9%	At 75th

Measure Description	MCO	MY2019 Rate	MY2020 Rate	MY2021 Rate	MY2021 Performance**
Comprehensive Diabetes Care (CDC), Eye Exam	Statewide†	58.0%	52.0% ▼	48.8%	Below 50th
	AMG	50.1%	49.6%	40.4%	Below 50th
	CCW	61.1%	51.6%	46.7%	At 50th
	CHPW	58.2%	54.0%	49.6%	At 50th
	MHW	61.6%	50.6% ▼	54.5%	At 50th
	UHC	59.1%	54.0%	52.8%	At 50th
Comprehensive Diabetes Care (CDC), Blood Pressure Control < 140/90 mm Hg	Statewide†	NR	67.4%	70.1%	Above 75th
	AMG	NR	64.7%	69.8%	At 75th
	CCW	NR	65.7%	65.5%	At 50th
	CHPW	NR	66.2%	71.5%	At 75th
	MHW	NR	70.1%	72.8%	Above 75th
	UHC	NR	70.6%	71.1%	At 75th
Kidney Health Evaluation for Patients with Diabetes (KED), 18-64 Years	Statewide†	NR	42.7%	43.5%	Above 75th
	AMG	NR	40.4%	42.1%	Above 75th
	CCW	NR	43.3%	44.7%	Above 75th
	CHPW	NR	43.8%	45.7%	Above 75th
	MHW	NR	42.8%	43.2%	Above 75th
	UHC	NR	43.0%	42.6%	Above 75th
Kidney Health Evaluation for Patients with Diabetes (KED), 65-74 Years	Statewide†	NR	54.1%	48.9%	At 75th
	AMG	NR	42.9%	48.9%	At 75th
	CCW	NR	55.9%	50.0%	At 75th
	CHPW	NR	63.5%	50.0%	At 75th
	MHW	NR	46.0%	45.9%	At 75th
	UHC	NR	55.7%	53.3%	At 75th
Kidney Health Evaluation for Patients with Diabetes (KED), 75-85 Years	Statewide†	NR	51.5%	41.5%	At 50th
	AMG	NR	***	***	At 50th
	CCW	NR	***	***	At 50th
	CHPW	NR	***	***	At 50th
	MHW	NR	***	***	At 50th
	UHC	NR	51.9%	***	At 50th
Kidney Health Evaluation for Patients with Diabetes (KED), Total	Statewide†	NR	43.0%	43.5%	Above 75th
	AMG	NR	40.5%	42.2%	Above 75th
	CCW	NR	43.4%	44.8%	Above 75th
	CHPW	NR	44.0%	45.7%	Above 75th
	MHW	NR	42.8%	43.2%	Above 75th
	UHC	NR	44.3%	42.7%	Above 75th
Statin Therapy for Patients With Diabetes (SPD), Received Statin Therapy	Statewide†	66.0%	66.4%	66.1%	At 50th
	AMG	65.2%	65.8%	64.6%	Below 50th
	CCW	64.8%	65.9%	66.4%	At 50th
	CHPW	67.9%	66.1%	65.8%	At 50th
	MHW	65.6%	66.0%	65.9%	At 50th
	UHC	66.4%	68.6%	68.0%	Above 50th, Below 75th
Statin Therapy for Patients With Diabetes (SPD), Statin Adherence 80%	Statewide†	66.7%	73.1% ▲	68.0% ▼	Above 50th, Below 75th
	AMG	66.8%	68.2%	65.3%	At 50th
	CCW	69.5%	72.0%	70.5%	At 75th
	CHPW	71.1%	76.6% ▲	68.5% ▼	Above 50th, Below 75th
	MHW	64.4%	74.5% ▲	66.8% ▼	At 50th
	UHC	64.8%	71.2% ▲	71.1%	At 75th
Antidepressant Medication Management (AMM), Effective Acute Phase	Statewide†	53.5%	58.5% ▲	61.2% ▲	Above 50th, Below 75th
	AMG	52.9%	52.9%	60.6% ▲	At 50th
	CCW	56.2%	58.9%	59.5%	At 50th
	CHPW	55.3%	57.4%	56.5%	Below 50th
	MHW	52.4%	60.6% ▲	62.1%	Above 50th, Below 75th
	UHC	53.6%	57.1% ▲	63.8% ▲	At 75th
Antidepressant Medication Management (AMM), Continuation Phase	Statewide†	38.4%	42.9% ▲	44.0% ▲	Above 50th, Below 75th
	AMG	39.7%	38.4%	43.4% ▲	At 50th
	CCW	39.9%	41.1%	42.1%	At 50th
	CHPW	39.9%	42.6%	39.8%	Below 50th
	MHW	37.2%	44.6% ▲	44.4%	Above 50th, Below 75th
	UHC	38.8%	42.6% ▲	48.4% ▲	At 75th
Follow-Up Care for Children Prescribed ADHD Medication (ADD), Initiation	Statewide†	43.9%	45.2%	42.9%	Below 50th
	AMG	34.0%	44.5% ▲	39.6%	Below 50th
	CCW	39.6%	46.2% ▲	43.9%	Below 50th
	CHPW	46.2%	41.5%	43.2%	Below 50th
	MHW	47.1%	45.4%	42.8%	Below 50th
	UHC	37.4%	47.3% ▲	44.5%	Below 50th
Follow-Up Care for Children Prescribed ADHD Medication (ADD), Continuation	Statewide†	53.6%	52.4%	54.8%	Above 75th
	AMG	47.3%	52.8%	49.6%	At 75th
	CCW	48.9%	53.6%	53.3%	Above 75th
	CHPW	56.7%	44.7%	54.0%	Above 75th
	MHW	58.3%	53.0%	55.2%	Above 75th
	UHC	37.5%	53.7%	61.4%	Above 75th

Measure Description	MCO	MY2019 Rate	MY2020 Rate	MY2021 Rate	MY2021 Performance**
Follow-Up after Hospitalization for Mental Illness (FUH), 30-Day Follow-Up, 6-17 Years	Statewide†	63.3%	74.2% ▲	71.9%	At 50th
	AMG	61.7%	74.1%	65.0%	Below 50th
	CCW	52.2%	68.9% ▲	65.8%	Below 50th
	CHPW	54.2%	69.8% ▲	66.9%	At 50th
	MHW	79.0%	79.8%	79.3%	At 75th
	UHC	31.3%	65.3% ▲	59.8%	Below 50th
Follow-Up after Hospitalization for Mental Illness (FUH), 30-Day Follow-Up, 18-64 Years	Statewide†	44.6%	53.5% ▲	49.8% ▼	Below 50th
	AMG	34.2%	42.8% ▲	41.2%	Below 50th
	CCW	34.2%	36.0%	28.5% ▼	Below 50th
	CHPW	40.6%	60.0% ▲	54.1% ▼	At 50th
	MHW	58.6%	63.5% ▲	60.4%	Above 50th, Below 75th
	UHC	26.1%	44.6% ▲	41.2%	Below 50th
Follow-Up after Hospitalization for Mental Illness (FUH), 30-Day Follow-Up, 65+ Years	Statewide†	***	***	***	Below 50th
	AMG	NR	NR	***	At 50th
	CCW	NR	***	***	At 50th
	CHPW	***	***	***	At 50th
	MHW	NR	***	***	At 50th
	UHC	NR	***	***	At 50th
Follow-Up after Hospitalization for Mental Illness (FUH), 30-Day Follow-Up, Total	Statewide†	48.3%	57.2% ▲	54.5% ▼	Below 50th
	AMG	37.3%	46.6% ▲	44.6%	Below 50th
	CCW	40.7%	47.0% ▲	40.8% ▼	Below 50th
	CHPW	42.5%	61.3% ▲	56.4%	Below 50th
	MHW	62.8%	66.8% ▲	64.9%	Above 50th, Below 75th
	UHC	26.8%	46.9% ▲	43.6%	Below 50th
Follow-Up after Hospitalization for Mental Illness (FUH), 7-Day Follow-Up, 6-17 Years	Statewide†	44.8%	55.7% ▲	50.1% ▼	Above 50th, Below 75th
	AMG	48.6%	57.5%	41.0% ▼	At 50th
	CCW	35.7%	51.9% ▲	45.7%	At 50th
	CHPW	35.2%	47.8%	43.9%	At 50th
	MHW	56.9%	59.9%	56.1%	At 75th
	UHC	20.5%	51.5% ▲	47.1%	At 50th
Follow-Up after Hospitalization for Mental Illness (FUH), 7-Day Follow-Up, 18-64 Years	Statewide†	28.9%	36.7% ▲	32.1% ▼	At 50th
	AMG	21.3%	27.6% ▲	25.8%	Below 50th
	CCW	22.8%	25.2%	18.3% ▼	Below 50th
	CHPW	24.4%	40.3% ▲	34.7%	At 50th
	MHW	38.0%	44.5% ▲	39.3% ▼	Above 50th, Below 75th
	UHC	19.1%	30.7% ▲	26.7%	Below 50th
Follow-Up after Hospitalization for Mental Illness (FUH), 7-Day Follow-Up, 65+ Years	Statewide†	***	***	***	At 50th
	AMG	NR	NR	***	At 50th
	CCW	NR	***	***	At 50th
	CHPW	***	***	***	At 50th
	MHW	NR	***	***	At 50th
	UHC	NR	***	***	At 50th
Follow-Up after Hospitalization for Mental Illness (FUH), 7-Day Follow-Up, Total	Statewide†	32.0%	40.2% ▲	35.9% ▼	Below 50th
	AMG	24.3%	31.1% ▲	28.0%	Below 50th
	CCW	27.5%	34.2% ▲	27.3% ▼	Below 50th
	CHPW	26.0%	41.3% ▲	36.3%	At 50th
	MHW	41.9%	47.6% ▲	43.3% ▼	Above 50th, Below 75th
	UHC	19.3%	33.1% ▲	29.3%	Below 50th
Follow-Up After Emergency Department Visit for Mental Illness (FUM), 30-Day Follow-Up, 6-17 Years	Statewide†	66.0%	73.3% ▲	73.1%	Above 50th, Below 75th
	AMG	49.8%	60.4%	63.2%	At 50th
	CCW	65.3%	72.6%	70.8%	At 50th
	CHPW	63.5%	62.7%	67.8%	At 50th
	MHW	71.1%	78.5% ▲	77.5%	At 75th
	UHC	63.9%	72.1%	67.8%	At 50th
Follow-Up After Emergency Department Visit for Mental Illness (FUM), 30-Day Follow-Up, 18-64 Years	Statewide†	47.3%	53.7% ▲	54.9%	Above 50th, Below 75th
	AMG	37.9%	42.8%	42.3%	Below 50th
	CCW	40.7%	38.1%	38.7%	Below 50th
	CHPW	57.1%	61.1%	60.8%	At 75th
	MHW	49.2%	59.5% ▲	61.8%	Above 75th
	UHC	49.5%	53.7%	53.8%	Above 50th, Below 75th
Follow-Up After Emergency Department Visit for Mental Illness (FUM), 30-Day Follow-Up, 65+ Years	Statewide†	***	***	***	At 50th
	AMG	***	***	NR	Below 50th
	CCW	NR	***	***	At 50th
	CHPW	***	***	***	At 50th
	MHW	NR	NR	NR	Below 50th
	UHC	***	***	NR	Below 50th
Follow-Up After Emergency Department Visit for Mental Illness (FUM), 30-Day Follow-Up, Total	Statewide†	51.0%	57.8% ▲	58.9%	Above 50th, Below 75th
	AMG	39.4%	45.2% ▲	45.2%	Below 50th
	CCW	49.8%	49.9%	50.0%	Below 50th
	CHPW	58.0%	61.3%	62.0%	At 75th
	MHW	53.6%	64.0% ▲	65.7%	Above 75th
	UHC	51.1%	56.5%	55.6%	At 50th

Measure Description	MCO	MY2019 Rate	MY2020 Rate	MY2021 Rate	MY2021 Performance**
Follow-Up After Emergency Department Visit for Mental Illness (FUM), 7-Day Follow-Up, 6-17 Years	Statewide†	50.9%	58.2% ▲	58.4%	Above 50th, Below 75th
	AMG	33.2%	44.2%	48.8%	At 50th
	CCW	47.4%	55.5%	52.5%	At 50th
	CHPW	52.9%	48.1%	49.8%	At 50th
	MHW	57.4%	63.9% ▲	64.9%	At 75th
	UHC	45.4%	59.6%	53.7%	At 50th
Follow-Up After Emergency Department Visit for Mental Illness (FUM), 7-Day Follow-Up, 18-64 Years	Statewide†	34.3%	41.6% ▲	42.0%	Above 50th, Below 75th
	AMG	26.8%	30.7%	30.5%	Below 50th
	CCW	28.0%	27.8%	26.5%	Below 50th
	CHPW	42.8%	48.5% ▲	47.6%	At 75th
	MHW	35.7%	47.5% ▲	48.4%	Above 75th
	UHC	36.4%	40.3%	41.0%	Above 50th, Below 75th
Follow-Up After Emergency Department Visit for Mental Illness (FUM), 7-Day Follow-Up, 65+ Years	Statewide†	***	***	***	At 50th
	AMG	***	***	NR	Below 50th
	CCW	NR	***	***	At 50th
	CHPW	***	***	***	At 50th
	MHW	NR	NR	NR	Below 50th
	UHC	***	***	NR	Below 50th
Follow-Up After Emergency Department Visit for Mental Illness (FUM), 7-Day Follow-Up, Total	Statewide†	37.5%	45.1% ▲	45.6%	Above 50th, Below 75th
	AMG	27.6%	32.5% ▲	33.0%	Below 50th
	CCW	35.3%	37.2%	35.7%	Below 50th
	CHPW	44.1%	48.4%	47.9%	At 75th
	MHW	40.1%	51.4% ▲	52.5%	Above 75th
	UHC	37.4%	43.2% ▲	42.6%	At 50th
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse Dependencies (FUA), 30-Day Follow-Up, 13-17 Years	Statewide†	14.6%	17.0%	19.7%	Above 75th
	AMG	15.4%	23.5%	30.8%	Above 75th
	CCW	14.9%	15.6%	22.5%	Above 75th
	CHPW	17.8%	20.6%	14.0%	At 50th
	MHW	13.1%	16.0%	18.2%	Above 75th
	UHC	***	14.8%	***	At 50th
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse Dependencies (FUA), 30-Day Follow-Up, 18+ Years	Statewide†	26.5%	29.2% ▲	29.0%	Above 75th
	AMG	23.5%	26.7%	23.2% ▼	At 50th
	CCW	21.4%	21.8%	24.1%	At 75th
	CHPW	31.8%	34.4%	34.3%	Above 75th
	MHW	28.4%	31.6% ▲	31.8%	Above 75th
	UHC	21.0%	25.9% ▲	25.5%	At 75th
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse Dependencies (FUA), 30-Day Follow-Up, Total	Statewide†	26.1%	28.7% ▲	28.8%	Above 75th
	AMG	23.3%	26.7%	23.4%	Above 50th, Below 75th
	CCW	20.8%	21.3%	24.0%	At 75th
	CHPW	31.3%	33.9%	33.8%	Above 75th
	MHW	27.8%	30.9% ▲	31.4%	Above 75th
	UHC	21.0%	25.6% ▲	25.4%	At 75th
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse Dependencies (FUA), 7-Day Follow-Up, 13-17 Years	Statewide†	9.1%	11.0%	12.8%	At 50th
	AMG	12.8%	17.7%	21.2%	At 50th
	CCW	6.7%	10.2%	17.5%	At 50th
	CHPW	12.3%	12.7%	12.0%	At 50th
	MHW	8.6%	10.3%	9.1%	At 50th
	UHC	***	8.2%	***	At 50th
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse Dependencies (FUA), 7-Day Follow-Up, 18+ Years	Statewide†	16.9%	19.1% ▲	19.6%	Above 75th
	AMG	15.5%	18.1%	15.2%	Above 50th, Below 75th
	CCW	12.6%	13.6%	14.1%	At 50th
	CHPW	21.2%	22.0%	23.3%	Above 75th
	MHW	18.1%	20.9% ▲	22.4%	Above 75th
	UHC	12.2%	16.6% ▲	16.1%	At 75th
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse Dependencies (FUA), 7-Day Follow-Up, Total	Statewide†	16.6%	18.8% ▲	19.4%	Above 75th
	AMG	15.5%	18.1%	15.4%	Above 75th
	CCW	12.1%	13.4%	14.3%	Above 75th
	CHPW	20.8%	21.8%	23.0%	Above 75th
	MHW	17.7%	20.4% ▲	22.0%	Above 75th
	UHC	12.2%	16.4% ▲	16.0%	Above 75th
Follow-Up After High Intensity Care for Substance Use Disorder (FUI): 30-Day Follow-Up, 13-17 Years	Statewide†	48.4%	44.2%	37.0%	At 50th
	AMG	***	***	***	At 50th
	CCW	***	***	***	At 50th
	CHPW	***	***	***	At 50th
	MHW	***	***	***	At 50th
	UHC	***	***	***	At 50th
Follow-Up After High Intensity Care for Substance Use Disorder (FUI): 30-Day Follow-Up, 18-64 Years	Statewide†	56.5%	58.0%	57.4%	Above 50th, Below 75th
	AMG	54.3%	56.4%	55.3%	Above 50th, Below 75th
	CCW	51.2%	55.8%	54.8%	At 50th
	CHPW	57.9%	59.9%	60.9%	At 75th
	MHW	58.8%	59.0%	58.5%	Above 50th, Below 75th
	UHC	51.8%	56.7%	56.4%	Above 50th, Below 75th

Measure Description	MCO	MY2019 Rate	MY2020 Rate	MY2021 Rate	MY2021 Performance**
Follow-Up After High Intensity Care for Substance Use Disorder (FUI): 30-Day Follow-Up, 65+ Years	Statewide†	***	***	***	At 50th
	AMG	***	***	NR	Below 50th
	CCW	NR	***	***	At 50th
	CHPW	***	NR	NR	Below 50th
	MHW	NR	***	NR	Below 50th
	UHC	NR	***	***	At 50th
Follow-Up After High Intensity Care for Substance Use Disorder (FUI): 30-Day Follow-Up, Total	Statewide†	56.5%	57.9%	57.3%	Above 50th, Below 75th
	AMG	54.3%	56.5%	55.2%	Above 50th, Below 75th
	CCW	50.9%	55.7%	54.7%	At 50th
	CHPW	58.1%	59.8%	60.7%	At 75th
	MHW	58.7%	58.9%	58.3%	Above 50th, Below 75th
	UHC	51.9%	56.4%	56.4%	Above 50th, Below 75th
Follow-Up After High Intensity Care for Substance Use Disorder (FUI): 7-Day Follow-Up, 13-17 Years	Statewide†	35.5%	28.8%	25.9%	At 50th
	AMG	***	***	***	At 50th
	CCW	***	***	***	At 50th
	CHPW	***	***	***	At 50th
	MHW	***	***	***	At 50th
	UHC	***	***	***	At 50th
Follow-Up After High Intensity Care for Substance Use Disorder (FUI): 7-Day Follow-Up, 18-64 Years	Statewide†	39.0%	38.3%	37.2%	Above 50th, Below 75th
	AMG	40.5%	37.9%	35.2%	Above 50th, Below 75th
	CCW	37.4%	35.5%	35.4%	Above 50th, Below 75th
	CHPW	36.0%	41.0%	40.7%	At 75th
	MHW	40.8%	38.9%	38.0%	Above 50th, Below 75th
	UHC	33.5%	36.2%	36.4%	Above 50th, Below 75th
Follow-Up After High Intensity Care for Substance Use Disorder (FUI): 7-Day Follow-Up, 65+ Years	Statewide†	***	***	***	At 50th
	AMG	***	***	NR	Below 50th
	CCW	NR	***	***	At 50th
	CHPW	***	NR	NR	Below 50th
	MHW	NR	***	NR	Below 50th
	UHC	NR	***	***	At 50th
Follow-Up After High Intensity Care for Substance Use Disorder (FUI): 7-Day Follow-Up, Total	Statewide†	39.0%	38.2%	37.2%	Above 50th, Below 75th
	AMG	40.5%	38.1%	35.1%	Above 50th, Below 75th
	CCW	37.3%	35.6%	35.4%	Above 50th, Below 75th
	CHPW	36.3%	40.9%	40.7%	At 75th
	MHW	40.8%	38.9%	38.0%	Above 50th, Below 75th
	UHC	33.2%	35.9%	36.4%	Above 50th, Below 75th
Pharmacotherapy for Opioid Use Disorder (POD), 16-64 Years	Statewide†	18.9%	19.4%	12.8%	▼ Below 50th
	AMG	18.4%	21.0%	13.3%	▼ Below 50th
	CCW	19.3%	17.6%	11.6%	▼ Below 50th
	CHPW	18.5%	16.0%	11.1%	▼ Below 50th
	MHW	17.2%	19.6%	13.0%	▼ Below 50th
	UHC	24.3%	21.5%	14.0%	▼ Below 50th
Pharmacotherapy for Opioid Use Disorder (POD), 65+ Years	Statewide†	***	36.1%	41.9%	At 50th
	AMG	***	***	***	At 50th
	CCW	***	***	***	At 50th
	CHPW	***	***	***	Above 75th
	MHW	***	***	***	At 50th
	UHC	***	***	***	At 50th
Pharmacotherapy for Opioid Use Disorder (POD), Total	Statewide†	18.9%	19.5%	12.8%	▼ Below 50th
	AMG	18.4%	21.0%	13.3%	▼ Below 50th
	CCW	19.4%	17.7%	11.7%	▼ Below 50th
	CHPW	18.5%	16.0%	11.2%	▼ Below 50th
	MHW	17.2%	19.6%	13.0%	▼ Below 50th
	UHC	24.5%	21.6%	14.0%	▼ Below 50th
Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medication (SSD)	Statewide†	82.0%	77.0%	79.0%	▲ At 50th
	AMG	83.6%	76.8%	79.5%	At 50th
	CCW	83.0%	79.3%	80.5%	At 50th
	CHPW	79.9%	73.9%	76.4%	Below 50th
	MHW	82.4%	78.2%	79.5%	At 50th
	UHC	81.4%	75.4%	78.3%	At 50th
Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)	Statewide†	67.5%	60.9%	61.9%	Below 50th
	AMG	69.2%	63.1%	59.8%	Below 50th
	CCW	63.6%	59.2%	65.2%	At 50th
	CHPW	60.3%	57.5%	58.8%	Below 50th
	MHW	69.1%	61.7%	63.4%	Below 50th
	UHC	72.1%	61.4%	61.0%	Below 50th
Cardiovascular Monitoring for People with Cardiovascular Disease and Schizophrenia (SMC)	Statewide†	54.2%	52.3%	49.0%	Below 50th
	AMG	***	***	***	Below 50th
	CCW	***	***	***	At 50th
	CHPW	***	***	***	Below 50th
	MHW	57.6%	62.2%	43.6%	Below 50th
	UHC	***	***	***	Below 50th

Measure Description	MCO	MY2019 Rate	MY2020 Rate	MY2021 Rate	MY2021 Performance**
Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Statewide†	65.5%	67.1%	63.9% ▼	Above 50th, Below 75th
	AMG	64.9%	60.2%	61.5%	At 50th
	CCW	61.6%	64.1%	64.1%	At 50th
	CHPW	67.4%	68.4%	64.5%	At 75th
	MHW	65.7%	69.6% ▲	64.1% ▼	Above 50th, Below 75th
	UHC	66.2%	67.4%	65.0%	At 75th
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose Testing, 1-11 Years	Statewide†	42.6%	36.4% ▼	38.1%	Below 50th
	AMG	32.9%	32.9%	33.7%	At 50th
	CCW	44.0%	38.9%	39.5%	At 50th
	CHPW	32.9%	34.0%	31.4%	At 50th
	MHW	44.9%	37.1% ▼	39.2%	At 50th
	UHC	45.8%	28.9%	36.1%	At 50th
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose Testing, 12-17 Years	Statewide†	59.0%	52.8% ▼	58.7% ▲	At 50th
	AMG	65.7%	54.7%	60.0%	At 50th
	CCW	58.6%	54.2%	60.8%	At 50th
	CHPW	58.7%	51.1%	54.9%	At 50th
	MHW	59.8%	52.2% ▼	59.0% ▲	At 50th
	UHC	48.7%	52.6%	53.7%	At 50th
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose Testing, Total	Statewide†	53.3%	47.5% ▼	52.7% ▲	Below 50th
	AMG	55.6%	48.5%	52.3%	At 50th
	CCW	53.5%	49.1%	53.8%	At 50th
	CHPW	50.0%	45.8%	49.5%	At 50th
	MHW	54.3%	47.2% ▼	53.1% ▲	At 50th
	UHC	47.8%	45.5%	49.4%	At 50th
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Cholesterol Testing, 1-11 Years	Statewide†	31.3%	27.7%	27.6%	At 50th
	AMG	20.3%	28.2%	22.5%	At 50th
	CCW	35.3%	29.3%	30.4%	At 50th
	CHPW	15.8%	23.6%	22.9%	At 50th
	MHW	34.0%	28.2%	27.9%	At 50th
	UHC	33.3%	24.1%	24.6%	At 50th
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Cholesterol Testing, 12-17 Years	Statewide†	35.4%	28.2% ▼	32.6% ▲	Below 50th
	AMG	39.3%	32.7%	36.3%	At 50th
	CCW	37.2%	30.2%	37.4%	At 50th
	CHPW	28.0%	27.2%	28.3%	Below 50th
	MHW	37.0%	26.9% ▼	31.4%	Below 50th
	UHC	26.6%	27.6%	26.6%	Below 50th
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Cholesterol Testing, Total	Statewide†	34.0%	28.1% ▼	31.1% ▲	Below 50th
	AMG	33.5%	31.4%	32.2%	At 50th
	CCW	36.6%	29.9% ▼	35.1%	At 50th
	CHPW	23.8%	26.1%	27.1%	Below 50th
	MHW	35.9%	27.3% ▼	30.4%	Below 50th
	UHC	28.7%	26.5%	26.1%	Below 50th
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose and Cholesterol Testing, 1-11 Years	Statewide†	28.8%	25.7%	26.2%	At 50th
	AMG	19.0%	27.1%	21.4%	At 50th
	CCW	33.3%	27.9%	28.7%	At 50th
	CHPW	15.8%	23.6%	22.9%	At 50th
	MHW	30.4%	25.8%	26.3%	At 50th
	UHC	33.3%	19.3%	24.6%	At 50th
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose and Cholesterol Testing, 12-17 Years	Statewide†	33.9%	27.5% ▼	31.0%	Below 50th
	AMG	38.8%	32.7%	34.9%	At 50th
	CCW	35.6%	29.5%	36.4%	At 50th
	CHPW	26.6%	26.8%	24.9%	Below 50th
	MHW	35.3%	26.2% ▼	29.7%	Below 50th
	UHC	25.3%	25.5%	26.6%	Below 50th
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM), Blood Glucose and Cholesterol Testing, Total	Statewide†	32.1%	26.9% ▼	29.6%	Below 50th
	AMG	32.7%	31.1%	30.9%	At 50th
	CCW	34.8%	29.0%	33.9%	At 50th
	CHPW	22.9%	25.8%	24.4%	Below 50th
	MHW	33.5%	26.1% ▼	28.7%	Below 50th
	UHC	27.8%	23.7%	26.1%	Below 50th
Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS) (Note that a lower score is better for this measure)	Statewide†	0.3%	0.3%	0.3%	Above 50th, Below 75th
	AMG	0.2%	0.1%	0.1%	At 75th
	CCW	0.4%	0.4%	0.2%	At 75th
	CHPW	0.3%	0.2%	0.2%	At 75th
	MHW	0.4%	0.3%	0.3%	Above 50th, Below 75th
	UHC	0.3%	0.2%	0.2%	At 75th
Appropriate Treatment for Upper Respiratory Infection (URI), 3 Months-17 Years	Statewide†	95.4%	95.7% ▲	97.1% ▲	Above 75th
	AMG	95.1%	95.6%	97.0% ▲	At 75th
	CCW	95.1%	96.4% ▲	96.7%	At 75th
	CHPW	95.6%	96.0%	97.1% ▲	Above 75th
	MHW	95.4%	95.3%	97.2% ▲	Above 75th
	UHC	95.4%	96.0%	97.3% ▲	Above 75th

Measure Description	MCO	MY2019 Rate	MY2020 Rate	MY2021 Rate	MY2021 Performance**
Appropriate Treatment for Upper Respiratory Infection (URI), 18-64 Years	Statewide†	89.0%	90.8% ▲	93.8% ▲	Above 75th
	AMG	89.7%	90.7%	94.1% ▲	Above 75th
	CCW	89.9%	93.3% ▲	95.0%	Above 75th
	CHPW	89.2%	91.7% ▲	93.5% ▲	Above 75th
	MHW	89.0%	90.1% ▲	93.6% ▲	Above 75th
	UHC	87.2%	90.0% ▲	93.9% ▲	Above 75th
Appropriate Treatment for Upper Respiratory Infection (URI), 65+ Years	Statewide†	83.9%	91.3%	***	At 75th
	AMG	***	***	***	At 50th
	CCW	***	***	***	At 50th
	CHPW	***	***	***	At 50th
	MHW	***	***	***	At 50th
	UHC	***	90.3% ▲	***	At 50th
Appropriate Treatment for Upper Respiratory Infection (URI), Total	Statewide†	93.8%	94.4% ▲	96.0% ▲	Above 75th
	AMG	93.4%	94.1%	95.8% ▲	Above 75th
	CCW	94.1%	95.7% ▲	96.3%	Above 75th
	CHPW	94.0%	94.8% ▲	95.8% ▲	Above 75th
	MHW	94.0%	94.0%	96.0% ▲	Above 75th
	UHC	93.0%	94.0% ▲	95.8% ▲	Above 75th
Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB), 3 Months-17 Years	Statewide†	73.1%	75.2% ▲	77.4%	Above 75th
	AMG	79.8%	79.0%	80.9%	Above 75th
	CCW	80.7%	82.1%	82.4%	Above 75th
	CHPW	72.5%	73.2%	76.6%	At 75th
	MHW	69.3%	72.2% ▲	75.1%	At 75th
	UHC	76.2%	79.0%	79.3%	At 75th
Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB), 18-64 Years	Statewide†	47.3%	50.9% ▲	57.6% ▲	Above 75th
	AMG	50.1%	53.3%	56.2%	Above 75th
	CCW	50.9%	54.5%	65.4% ▲	Above 75th
	CHPW	47.9%	51.3%	53.6%	At 75th
	MHW	45.7%	48.9% ▲	57.5% ▲	Above 75th
	UHC	46.8%	52.8% ▲	57.6%	Above 75th
Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB), 65+ Years	Statewide†	***	26.2%	***	At 50th
	AMG	***	***	NR	Below 50th
	CCW	NR	***	NR	Below 50th
	CHPW	***	***	***	At 50th
	MHW	***	***	***	At 50th
	UHC	***	22.9%	***	At 50th
Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB), Total	Statewide†	61.9%	64.5% ▲	66.1%	Above 75th
	AMG	64.1%	66.3%	64.3%	At 75th
	CCW	70.3%	72.4%	74.8%	Above 75th
	CHPW	61.7%	63.6%	63.7%	At 75th
	MHW	59.5%	62.4% ▲	65.1% ▲	Above 75th
	UHC	60.5%	64.4% ▲	65.7%	At 75th
Use of Imaging Studies for Low Back Pain (LBP)	Statewide†	76.6%	76.9%	75.1% ▼	At 50th
	AMG	77.6%	77.8%	74.8%	At 50th
	CCW	79.9%	76.6%	75.1%	At 50th
	CHPW	76.5%	80.6% ▲	78.7%	At 75th
	MHW	75.3%	75.6%	74.1%	At 50th
	UHC	78.2%	77.7%	75.8%	At 50th
Use of Opioids at High Dosage (HDO) (Note that a lower score is better for this measure)	Statewide†	7.1%	6.3% ▲	5.4% ▲	Below 50th
	AMG	6.2%	5.8%	5.3%	At 50th
	CCW	7.1%	6.5%	5.7%	Below 50th
	CHPW	7.8%	5.8% ▲	5.1%	At 50th
	MHW	6.4%	5.7%	4.9% ▲	At 50th
	UHC	9.4%	8.3%	7.4%	Below 50th
Use of Opioids from Multiple Prescribers (UOP) (Note that a lower score is better for this measure)	Statewide†	23.9%	22.2% ▲	22.2%	Below 50th
	AMG	22.7%	21.2%	20.3%	Below 50th
	CCW	21.1%	19.7%	20.3%	Below 50th
	CHPW	23.7%	21.4%	19.3%	At 50th
	MHW	25.1%	23.3% ▲	23.4%	Below 50th
	UHC	22.8%	21.7%	23.3%	Below 50th
Use of Opioids from Multiple Pharmacies (UOP) (Note that a lower score is better for this measure)	Statewide†	5.2%	3.7% ▲	3.5%	Below 50th
	AMG	3.4%	2.8%	2.4%	At 50th
	CCW	5.2%	3.4% ▲	3.3%	Below 50th
	CHPW	4.7%	3.2% ▲	4.5% ▼	Below 50th
	MHW	5.3%	3.9% ▲	3.5%	Below 50th
	UHC	6.7%	4.5% ▲	3.7%	Below 50th
Use of Opioids from Multiple Prescribers and Multiple Pharmacies (UOP) (Note that a lower score is better for this measure)	Statewide†	3.3%	2.5% ▲	2.4%	Below 50th
	AMG	2.1%	1.9%	1.6%	At 50th
	CCW	3.1%	2.1%	2.1%	Below 50th
	CHPW	3.1%	2.0% ▲	2.9%	Below 50th
	MHW	3.5%	2.7% ▲	2.5%	Below 50th
	UHC	3.9%	2.9% ▲	2.6%	Below 50th

Measure Description	MCO	MY2019 Rate	MY2020 Rate	MY2021 Rate	MY2021 Performance**
Risk of Continued Opioid Use (COU), At least 15 days, 18-64 Years	Statewide†	6.7%	6.3% ▼	5.6% ▼	At 50th
	AMG	7.6%	6.6%	6.6%	Above 75th
	CCW	5.7%	5.8%	5.3%	At 50th
	CHPW	7.1%	6.4%	5.9%	Above 75th
	MHW	6.8%	6.1% ▼	5.2% ▼	Below 50th
	UHC	6.3%	7.0%	6.2%	Above 75th
Risk of Continued Opioid Use (COU), At least 15 days, 65+ Years	Statewide†	5.4%	19.7% ▲	5.9% ▼	Below 50th
	AMG	***	***	***	At 50th
	CCW	***	***	***	At 50th
	CHPW	***	***	9.7%	At 50th
	MHW	5.0%	***	2.2%	Below 50th
	UHC	***	21.3%	3.3% ▼	At 50th
Risk of Continued Opioid Use (COU), At least 15 days, Total	Statewide†	6.7%	6.4%	5.6% ▼	At 50th
	AMG	7.6%	6.6% ▼	6.6%	Above 75th
	CCW	5.7%	5.8%	5.3%	At 50th
	CHPW	7.1%	6.4%	6.0%	At 50th
	MHW	6.8%	6.1% ▼	5.2% ▼	Below 50th
	UHC	6.3%	7.6% ▲	6.1% ▼	Above 75th
Risk of Continued Opioid Use (COU), At least 30 days, 18-64 Years	Statewide†	2.8%	2.7%	2.2% ▼	Below 50th
	AMG	3.5%	2.9%	2.7%	At 50th
	CCW	2.3%	2.1%	2.0%	Below 50th
	CHPW	3.1%	2.5%	2.3%	Below 50th
	MHW	2.8%	2.6%	2.0% ▼	Below 50th
	UHC	2.4%	3.2% ▲	2.7%	Below 50th
Risk of Continued Opioid Use (COU), At least 30 days, 65+ Years	Statewide†	3.2%	11.2%	2.0% ▼	Below 50th
	AMG	***	***	***	At 50th
	CCW	***	***	***	At 50th
	CHPW	***	***	3.2%	At 50th
	MHW	2.5%	***	0.0%	Below 50th
	UHC	***	12.8%	0.0%	At 50th
Risk of Continued Opioid Use (COU), At least 30 days, Total	Statewide†	2.8%	2.7%	2.2% ▼	Below 50th
	AMG	3.5%	2.9%	2.7%	Below 50th
	CCW	2.3%	2.1%	2.0%	Below 50th
	CHPW	3.1%	2.5%	2.3%	Below 50th
	MHW	2.8%	2.6%	2.0% ▼	Below 50th
	UHC	2.4%	3.6% ▲	2.7% ▼	Below 50th
Adults’ Access to Preventive/Ambulatory Health Services (AAP), 20-44 Years	Statewide†	74.1%	70.9% ▼	69.4% ▼	No Benchmark
	AMG	69.8%	65.7% ▼	64.3% ▼	No Benchmark
	CCW	70.4%	68.7% ▼	67.0% ▼	No Benchmark
	CHPW	73.1%	70.5% ▼	68.7% ▼	No Benchmark
	MHW	77.5%	73.8% ▼	72.6% ▼	No Benchmark
	UHC	71.2%	68.2% ▼	66.1% ▼	No Benchmark
Adults’ Access to Preventive/Ambulatory Health Services (AAP), 45-64 Years	Statewide†	80.5%	77.2% ▼	76.8% ▼	No Benchmark
	AMG	76.8%	72.7% ▼	72.6%	No Benchmark
	CCW	77.8%	75.4% ▼	75.4%	No Benchmark
	CHPW	80.4%	77.7% ▼	77.1%	No Benchmark
	MHW	83.0%	79.4% ▼	79.3%	No Benchmark
	UHC	79.7%	76.9% ▼	75.1% ▼	No Benchmark
Adults’ Access to Preventive/Ambulatory Health Services (AAP), 65+ Years	Statewide†	94.1%	88.6% ▼	75.5% ▼	No Benchmark
	AMG	84.2%	68.4% ▼	69.9%	No Benchmark
	CCW	86.2%	77.8%	72.7%	No Benchmark
	CHPW	89.4%	79.8% ▼	77.4%	No Benchmark
	MHW	90.5%	79.1% ▼	78.1%	No Benchmark
	UHC	96.3%	94.0% ▼	76.8% ▼	No Benchmark
Adults’ Access to Preventive/Ambulatory Health Services (AAP), Total	Statewide†	76.5%	73.2% ▼	71.9% ▼	No Benchmark
	AMG	72.5%	68.2% ▼	67.2% ▼	No Benchmark
	CCW	73.1%	71.0% ▼	69.7% ▼	No Benchmark
	CHPW	75.9%	73.1% ▼	71.5% ▼	No Benchmark
	MHW	79.3%	75.5% ▼	74.6% ▼	No Benchmark
	UHC	75.3%	72.4% ▼	69.6% ▼	No Benchmark
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Alcohol Abuse or Dependence Initiation of AOD Treatment: 13-17 Years	Statewide†	25.8%	32.6%	36.1%	Below 50th
	AMG	23.5%	32.6%	47.2%	At 50th
	CCW	32.1%	35.4%	41.1%	At 50th
	CHPW	22.8%	21.2%	25.0%	Below 50th
	MHW	23.4%	34.4%	36.2%	At 50th
	UHC	***	31.7%	31.0%	At 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Alcohol Abuse or Dependence Engagement of AOD Treatment: 13-17 Years	Statewide†	6.9%	8.8%	11.3%	At 50th
	AMG	5.9%	4.7%	11.1%	At 50th
	CCW	11.0%	10.6%	11.1%	At 50th
	CHPW	3.5%	6.1%	10.0%	At 50th
	MHW	5.9%	9.5%	10.7%	At 50th
	UHC	***	7.3%	16.7%	At 50th

Measure Description	MCO	MY2019 Rate	MY2020 Rate	MY2021 Rate	MY2021 Performance**
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Opioid Abuse or Dependence: Initiation of AOD Treatment: 13-17 Years	Statewide†	57.6%	38.9%	46.3%	At 50th
	AMG	***	***	***	At 50th
	CCW	***	***	***	At 50th
	CHPW	***	***	***	At 50th
	MHW	***	***	43.2%	At 50th
	UHC	***	***	***	At 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Opioid Abuse or Dependence: Engagement of AOD Treatment: 13-17 Years	Statewide†	15.2%	14.8%	20.7%	At 75th
	AMG	***	***	***	At 50th
	CCW	***	***	***	At 75th
	CHPW	***	***	***	At 75th
	MHW	***	***	13.5%	At 50th
	UHC	***	***	***	At 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Other Drug Abuse or Dependence: Initiation of AOD Treatment: 13-17 Years	Statewide†	32.9%	37.9%	43.0%	At 50th
	AMG	41.2%	43.2%	48.6%	At 50th
	CCW	33.5%	38.9%	42.5%	At 50th
	CHPW	30.1%	38.5%	41.4%	At 50th
	MHW	33.1%	35.9%	42.9%	At 50th
	UHC	20.8%	40.0%	41.3%	At 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Other Drug Abuse or Dependence: Engagement of AOD Treatment: 13-17 Years	Statewide†	10.8%	11.7%	15.0%	At 50th
	AMG	14.7%	12.9%	12.4%	At 50th
	CCW	10.9%	15.4%	20.3%	At 75th
	CHPW	6.4%	13.0%	19.3%	At 75th
	MHW	11.6%	10.6%	12.7%	At 50th
	UHC	5.7%	6.7%	15.2%	At 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Total: Initiation of AOD Treatment: 13-17 Years	Statewide†	30.9%	35.6% ▲	40.4% ▲	Below 50th
	AMG	36.4%	41.9%	47.3%	At 50th
	CCW	32.2%	36.5%	41.2%	At 50th
	CHPW	28.4%	34.0%	36.0%	Below 50th
	MHW	30.6%	34.4%	40.5%	Below 50th
	UHC	23.8%	35.8%	36.8%	At 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Total: Engagement of AOD Treatment: 13-17 Years	Statewide†	9.7%	10.7%	13.4%	At 50th
	AMG	12.4%	11.3%	13.0%	At 50th
	CCW	10.3%	13.7%	17.2%	At 75th
	CHPW	5.7%	10.5%	16.4%	At 50th
	MHW	10.3%	10.0%	11.5%	At 50th
	UHC	6.3%	7.3%	13.7%	At 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Alcohol Abuse or Dependence Initiation of AOD Treatment: 18+ Years	Statewide†	35.4%	38.4% ▲	40.2% ▲	Below 50th
	AMG	37.8%	41.2%	45.8% ▲	At 75th
	CCW	34.0%	34.6%	35.8%	Below 50th
	CHPW	29.6%	33.7%	35.5%	Below 50th
	MHW	36.1%	39.7% ▲	41.0%	Below 50th
	UHC	37.9%	38.4%	38.7%	Below 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Alcohol Abuse or Dependence Engagement of AOD Treatment: 18+ Years	Statewide†	9.1%	11.4% ▲	11.5%	At 50th
	AMG	9.2%	12.0% ▲	12.6%	Above 50th, Below 75th
	CCW	7.2%	9.4%	8.7%	Below 50th
	CHPW	7.5%	11.5% ▲	11.6%	At 50th
	MHW	10.0%	12.1% ▲	12.2%	Above 50th, Below 75th
	UHC	8.5%	9.7%	10.1%	Below 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Opioid Abuse or Dependence: Initiation of AOD Treatment: 18+ Years	Statewide†	62.5%	64.7% ▲	64.2%	Above 50th, Below 75th
	AMG	63.1%	64.5%	64.0%	Above 50th, Below 75th
	CCW	62.4%	60.0%	60.2%	At 50th
	CHPW	60.7%	66.5% ▲	63.2%	Above 50th, Below 75th
	MHW	63.2%	65.7%	65.9%	At 75th
	UHC	59.2%	63.4%	62.9%	Above 50th, Below 75th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Opioid Abuse or Dependence: Engagement of AOD Treatment: 18+ Years	Statewide†	34.4%	34.2%	31.4% ▼	Above 50th, Below 75th
	AMG	33.5%	32.3%	28.2% ▼	At 50th
	CCW	31.9%	31.0%	29.2%	At 50th
	CHPW	33.2%	35.0%	34.6%	Above 50th, Below 75th
	MHW	36.0%	36.0%	32.2% ▼	Above 50th, Below 75th
	UHC	29.8%	32.5%	31.1%	At 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Other Drug Abuse or Dependence: Initiation of AOD Treatment: 18+ Years	Statewide†	36.4%	38.3% ▲	39.3%	Below 50th
	AMG	40.8%	43.0%	43.7%	At 50th
	CCW	34.8%	35.4%	38.3%	Below 50th
	CHPW	29.2%	31.2%	34.4%	Below 50th
	MHW	37.1%	39.2% ▲	39.8%	Below 50th
	UHC	37.9%	38.8%	37.2%	Below 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Other Drug Abuse or Dependence: Engagement of AOD Treatment: 18+ Years	Statewide†	9.1%	9.5%	8.6% ▼	Below 50th
	AMG	9.1%	9.4%	8.3%	Below 50th
	CCW	8.0%	7.4%	7.3%	Below 50th
	CHPW	10.0%	10.1%	9.4%	Below 50th
	MHW	9.5%	10.0%	9.1%	Below 50th
	UHC	6.3%	9.3% ▲	7.8%	Below 50th

Measure Description	MCO	MY2019 Rate	MY2020 Rate	MY2021 Rate	MY2021 Performance**
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Total: Initiation of AOD Treatment: 18+ Years	Statewide†	42.5%	45.4% ▲	45.8%	Above 50th, Below 75th
	AMG	45.4%	47.8%	48.6%	At 75th
	CCW	40.2%	40.9%	42.4%	Below 50th
	CHPW	38.6%	42.9% ▲	42.0%	Below 50th
	MHW	43.1%	46.5% ▲	47.0%	Above 50th, Below 75th
	UHC	43.3%	45.2%	44.5%	At 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Total: Engagement of AOD Treatment: 18+ Years	Statewide†	15.1%	16.6% ▲	15.4% ▼	Above 50th, Below 75th
	AMG	15.2%	16.1%	14.3% ▼	At 50th
	CCW	13.1%	13.9%	13.1%	Below 50th
	CHPW	13.3%	16.4% ▲	16.3%	Above 50th, Below 75th
	MHW	16.2%	17.6% ▲	16.2% ▼	Above 50th, Below 75th
	UHC	13.3%	15.9% ▲	15.0%	Above 50th, Below 75th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Alcohol Abuse or Dependence: Initiation of AOD Treatment: Total	Statewide†	35.1%	38.2% ▲	40.1% ▲	Below 50th
	AMG	37.5%	41.0%	45.8% ▲	At 75th
	CCW	33.8%	34.6%	36.0%	Below 50th
	CHPW	29.4%	33.3%	35.2%	Below 50th
	MHW	35.7%	39.5% ▲	40.9%	Below 50th
	UHC	37.9%	38.3%	38.6%	Below 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Alcohol Abuse or Dependence: Engagement of AOD Treatment: Total	Statewide†	9.1%	11.3% ▲	11.5%	At 50th
	AMG	9.2%	11.9% ▲	12.6%	At 50th
	CCW	7.5%	9.4%	8.8%	Below 50th
	CHPW	7.3%	11.4% ▲	11.6%	At 50th
	MHW	9.9%	12.0% ▲	12.2%	At 50th
	UHC	8.5%	9.7%	10.2%	Below 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Opioid Abuse or Dependence: Initiation of AOD Treatment: Total	Statewide†	62.4%	64.6% ▲	64.1%	Above 50th, Below 75th
	AMG	63.0%	64.5%	63.9%	Above 50th, Below 75th
	CCW	62.4%	59.7%	60.0%	At 50th
	CHPW	60.5%	66.4% ▲	63.1%	Above 50th, Below 75th
	MHW	63.3%	65.6%	65.8%	At 75th
	UHC	59.1%	63.4%	62.9%	Above 50th, Below 75th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Opioid Abuse or Dependence: Engagement of AOD Treatment: Total	Statewide†	34.3%	34.1%	31.3% ▼	Above 50th, Below 75th
	AMG	33.5%	32.3%	28.1% ▼	At 50th
	CCW	31.7%	30.8%	29.2%	At 50th
	CHPW	33.1%	34.8%	34.6%	Above 50th, Below 75th
	MHW	36.0%	35.9%	32.0% ▼	Above 50th, Below 75th
	UHC	29.7%	32.5%	31.1%	Above 50th, Below 75th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Other Drug Abuse or Dependence: Initiation of AOD Treatment: Total	Statewide†	36.1%	38.3% ▲	39.5%	Below 50th
	AMG	40.9%	43.0%	43.9%	At 50th
	CCW	34.6%	35.7%	38.6%	Below 50th
	CHPW	29.3%	31.6%	34.7%	Below 50th
	MHW	36.8%	39.0% ▲	40.0%	Below 50th
	UHC	37.2%	38.8%	37.3%	Below 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Other Drug Abuse or Dependence: Engagement of AOD Treatment: Total	Statewide†	9.2%	9.6%	8.9%	Below 50th
	AMG	9.4%	9.5%	8.3%	Below 50th
	CCW	8.4%	8.1%	8.3%	Below 50th
	CHPW	9.7%	10.2%	9.8%	Below 50th
	MHW	9.7%	10.1%	9.3%	Below 50th
	UHC	6.2%	9.2% ▲	8.0%	Below 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Total: Initiation of AOD Treatment: Total	Statewide†	42.0%	45.1% ▲	45.6%	Above 50th, Below 75th
	AMG	45.2%	47.6%	48.6%	At 75th
	CCW	39.5%	40.7%	42.3%	Below 50th
	CHPW	38.1%	42.5% ▲	41.9%	Below 50th
	MHW	42.5%	46.0% ▲	46.8%	Above 50th, Below 75th
	UHC	42.9%	45.0%	44.4%	At 50th
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET), Total: Engagement of AOD Treatment: Total	Statewide†	14.8%	16.3% ▲	15.3% ▼	Above 50th, Below 75th
	AMG	15.1%	16.0%	14.3% ▼	At 50th
	CCW	12.8%	13.9%	13.3%	At 50th
	CHPW	12.9%	16.2% ▲	16.3%	Above 50th, Below 75th
	MHW	15.9%	17.3% ▲	16.1% ▼	Above 50th, Below 75th
	UHC	13.1%	15.7% ▲	15.0%	Above 50th, Below 75th
Prenatal and Postpartum Care (PPC), Timeliness of Prenatal Care	Statewide†	82.7%	82.7%	86.5% ▲	At 50th
	AMG	76.3%	78.6%	83.5%	At 50th
	CCW	77.4%	78.1%	80.3%	Below 50th
	CHPW	76.4%	88.3% ▲	89.8%	At 75th
	MHW	94.6%	82.5% ▼	88.8%	At 50th
	UHC	88.3%	86.1%	90.0%	At 75th
Prenatal and Postpartum Care (PPC), Postpartum Care	Statewide†	72.1%	76.1% ▲	79.3%	Above 50th, Below 75th
	AMG	60.1%	71.8% ▲	76.4%	At 50th
	CCW	72.7%	73.5%	74.9%	At 50th
	CHPW	77.4%	82.5%	86.1%	Above 75th
	MHW	75.2%	77.4%	79.1%	At 50th
	UHC	74.7%	75.2%	80.1%	At 50th

Measure Description	MCO	MY2019 Rate	MY2020 Rate	MY2021 Rate	MY2021 Performance**
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP), 1-11 Years	Statewide†	55.8%	62.9%	56.6%	At 50th
	AMG	40.6%	50.0%	***	At 50th
	CCW	52.9%	62.4%	56.1%	At 50th
	CHPW	45.9%	***	***	At 50th
	MHW	67.6%	66.5%	56.6%	At 50th
	UHC	***	***	***	At 50th
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP), 12-17 Years	Statewide†	55.7%	60.4%	65.2%	At 50th
	AMG	34.5%	52.4%	55.0%	At 50th
	CCW	55.6%	66.0%	65.9%	At 50th
	CHPW	50.0%	54.8%	69.7%	At 50th
	MHW	69.0%	63.1%	66.0%	At 50th
	UHC	43.1%	49.3%	64.8%	At 50th
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP), Total	Statewide†	55.7%	61.2%	62.8%	At 50th
	AMG	36.7%	51.7%	58.7%	At 50th
	CCW	54.7%	64.7%	62.2%	At 50th
	CHPW	48.6%	55.6%	65.6%	At 50th
	MHW	68.5%	64.2%	63.6%	At 50th
	UHC	47.0%	52.2%	61.6%	At 50th
Well-Child Visits in the First 30 Months of Life (W30), First 15 Months	Statewide†	NR	54.0%	54.1%	Below 50th
	AMG	NR	49.5%	51.1%	Below 50th
	CCW	NR	55.7%	52.0%	▼ Below 50th
	CHPW	NR	62.2%	61.0%	At 75th
	MHW	NR	54.3%	55.0%	At 50th
	UHC	NR	44.9%	47.5%	Below 50th
Well-Child Visits in the First 30 Months of Life (W30), 15-30 Months	Statewide†	NR	68.4%	64.3%	▼ Below 50th
	AMG	NR	66.9%	61.5%	▼ Below 50th
	CCW	NR	71.8%	65.8%	▼ At 50th
	CHPW	NR	67.3%	65.2%	At 50th
	MHW	NR	68.3%	64.4%	▼ Below 50th
	UHC	NR	67.4%	64.0%	▼ Below 50th
Child and Adolescent Well-Care Visit (WCV), Age 3-11	Statewide†	NR	46.9%	53.4%	▲ Below 50th
	AMG	NR	42.2%	50.2%	▲ Below 50th
	CCW	NR	49.3%	56.1%	▲ At 50th
	CHPW	NR	44.9%	53.4%	▲ Below 50th
	MHW	NR	48.4%	54.2%	▲ Below 50th
	UHC	NR	43.3%	49.2%	▲ Below 50th
Child and Adolescent Well-Care Visit (WCV), Age 12-17	Statewide†	NR	34.8%	47.8%	▲ Below 50th
	AMG	NR	29.3%	44.1%	▲ Below 50th
	CCW	NR	36.3%	47.9%	▲ Below 50th
	CHPW	NR	33.8%	49.1%	▲ Below 50th
	MHW	NR	36.2%	48.7%	▲ Below 50th
	UHC	NR	31.5%	43.7%	▲ Below 50th
Child and Adolescent Well-Care Visit (WCV), Age 18-21	Statewide†	NR	17.7%	19.9%	▲ Below 50th
	AMG	NR	14.6%	16.2%	▲ Below 50th
	CCW	NR	16.4%	18.1%	▲ Below 50th
	CHPW	NR	17.4%	20.1%	▲ Below 50th
	MHW	NR	19.0%	21.2%	▲ Below 50th
	UHC	NR	16.7%	18.9%	▲ Below 50th
Child and Adolescent Well-Care Visit (WCV), Total	Statewide†	NR	38.8%	46.3%	▲ Below 50th
	AMG	NR	34.0%	42.8%	▲ Below 50th
	CCW	NR	40.4%	47.4%	▲ Below 50th
	CHPW	NR	36.8%	46.1%	▲ Below 50th
	MHW	NR	40.3%	47.3%	▲ Below 50th
	UHC	NR	35.7%	42.8%	▲ Below 50th
Ambulatory Care (AMB), Outpatient	Statewide†	304.1	251.5	260.6	NR
	AMG	260.0	212.6	226.3	NR
	CCW	307.2	257.8	270.4	NR
	CHPW	285.0	218.8	226.3	NR
	MHW	322.1	264.9	276.5	NR
	UHC	296.9	266.1	259.9	NR
Ambulatory Care (AMB), Emergency Department	Statewide†	48.3	35.8	38.1	NR
	AMG	50.6	38.9	41.6	NR
	CCW	53.9	37.4	40.5	NR
	CHPW	49.9	35.0	37.2	NR
	MHW	46.7	34.5	36.9	NR
	UHC	44.6	37.2	38.0	NR
Identification of Alcohol and Other Drug Services (IAD), Total Any Services	Statewide†	8.2%	8.1%	7.8%	▼ Above 50th, Below 75th
	AMG	10.4%	10.3%	9.7%	▼ Above 75th
	CCW	7.6%	7.1% ▼	7.0%	Above 50th, Below 75th
	CHPW	8.3%	7.8% ▼	7.6%	Above 50th, Below 75th
	MHW	7.4%	7.6% ▲	7.2%	▼ Above 50th, Below 75th
	UHC	10.4%	9.4% ▼	9.3%	Above 75th

Measure Description	MCO	MY2019 Rate	MY2020 Rate	MY2021 Rate	MY2021 Performance**
Identification of Alcohol and Other Drug Services (IAD), Total Inpatient	Statewide†	1.6%	1.6% ▲	1.6%	Above 50th, Below 75th
	AMG	2.1%	2.3% ▲	2.5% ▲	Above 75th
	CCW	1.4%	1.3%	1.3%	Below 50th
	CHPW	1.6%	1.6%	1.5%	Above 50th, Below 75th
	MHW	1.4%	1.5%	1.4% ▼	Below 50th
	UHC	1.9%	1.8%	1.9%	Above 50th, Below 75th
Identification of Alcohol and Other Drug Services (IAD), Total Intensive Outpatient/Partial Hospitalization	Statewide†	0.0%	0.1% ▲	0.1% ▼	Below 50th
	AMG	0.0%	0.1% ▲	0.1%	Below 50th
	CCW	0.0%	0.0%	0.0%	Below 50th
	CHPW	0.0%	0.1% ▲	0.1%	Below 50th
	MHW	0.0%	0.1% ▲	0.1% ▼	Below 50th
	UHC	0.1%	0.1% ▼	0.1%	Below 50th
Identification of Alcohol and Other Drug Services (IAD), Total Outpatient/MAT	Statewide†	6.5%	6.2% ▼	5.9% ▼	Above 50th, Below 75th
	AMG	7.9%	7.7%	7.1% ▼	Above 75th
	CCW	5.8%	5.2% ▼	5.2%	Above 50th, Below 75th
	CHPW	6.6%	6.0% ▼	5.7% ▼	Above 50th, Below 75th
	MHW	6.0%	5.9%	5.5% ▼	Above 50th, Below 75th
	UHC	8.4%	7.3% ▼	7.0%	Above 75th
Identification of Alcohol and Other Drug Services (IAD), Total ED	Statewide†	2.5%	2.3% ▼	2.2% ▼	Above 50th, Below 75th
	AMG	3.4%	3.0% ▼	3.0%	Above 75th
	CCW	2.5%	2.3% ▼	2.1% ▼	Above 50th, Below 75th
	CHPW	2.5%	2.3% ▼	2.2% ▼	Above 50th, Below 75th
	MHW	2.1%	2.1%	2.0% ▼	Above 50th, Below 75th
	UHC	2.8%	2.5% ▼	2.4%	Above 50th, Below 75th
Identification of Alcohol and Other Drug Services (IAD), Total Telehealth	Statewide†	0.6%	2.6% ▲	2.5% ▼	Above 50th, Below 75th
	AMG	0.8%	2.9% ▲	2.4% ▼	Above 50th, Below 75th
	CCW	0.5%	2.3% ▲	2.2%	Above 50th, Below 75th
	CHPW	0.4%	2.0% ▲	2.6% ▲	Above 50th, Below 75th
	MHW	0.6%	2.6% ▲	2.5% ▼	Above 50th, Below 75th
	UHC	0.6%	2.8% ▲	2.9%	At 75th
Mental Health Utilization (MPT), Total Outpatient	Statewide†	11.2%	10.6%	9.4%	NR
	AMG	7.6%	7.3% ▼	6.8% ▼	NR
	CCW	12.0%	10.5% ▼	9.2% ▼	NR
	CHPW	8.8%	8.6% ▼	7.7% ▼	NR
	MHW	13.3%	12.0% ▼	10.6% ▼	NR
	UHC	10.1%	10.6% ▲	9.4% ▼	NR
Mental Health Utilization (MPT), Total ED	Statewide†	0.3%	0.6%	0.4%	NR
	AMG	0.1%	0.1% ▼	0.1%	NR
	CCW	0.1%	0.1%	0.1%	NR
	CHPW	0.1%	0.1%	0.1%	NR
	MHW	0.5%	1.2% ▲	0.8% ▼	NR
	UHC	0.1%	0.1%	0.1%	NR
Plan All-Cause Readmissions (PCR), Total: 18-44 Years <i>Due to substantial changes in measure specifications between MY2019 and MY2020, MY2019 results are not displayed.</i>	Statewide†	NR	9.0%	8.1% ▲	No Benchmark
	AMG	NR	9.1%	8.5%	No Benchmark
	CCW	NR	9.4%	9.9%	No Benchmark
	CHPW	NR	10.1%	7.8%	No Benchmark
	MHW	NR	8.5%	7.5%	No Benchmark
	UHC	NR	9.9%	9.6%	No Benchmark
Plan All-Cause Readmissions (PCR), Total: 45-54 Years <i>Due to substantial changes in measure specifications between MY2019 and MY2020, MY2019 results are not displayed.</i>	Statewide†	NR	9.0%	9.2%	No Benchmark
	AMG	NR	9.6%	9.4%	No Benchmark
	CCW	NR	7.4%	9.0%	No Benchmark
	CHPW	NR	9.2%	11.3%	No Benchmark
	MHW	NR	8.6%	8.2%	No Benchmark
	UHC	NR	10.5%	10.3%	No Benchmark
Plan All-Cause Readmissions (PCR), Total: 55-64 Years <i>Due to substantial changes in measure specifications between MY2019 and MY2020, MY2019 results are not displayed.</i>	Statewide†	NR	9.8%	9.4%	No Benchmark
	AMG	NR	9.9%	10.8%	No Benchmark
	CCW	NR	9.9%	10.4%	No Benchmark
	CHPW	NR	9.8%	9.9%	No Benchmark
	MHW	NR	9.5%	8.9%	No Benchmark
	UHC	NR	10.6%	8.5%	No Benchmark
Plan All-Cause Readmissions (PCR), Total <i>Due to substantial changes in measure specifications between MY2019 and MY2020, MY2019 results are not displayed.</i>	Statewide†	NR	9.3%	8.7%	Below 50th
	AMG	NR	9.5%	9.4%	Below 50th
	CCW	NR	9.1%	9.9%	Below 50th
	CHPW	NR	9.8%	9.2%	Below 50th
	MHW	NR	8.8%	8.0% ▲	Below 50th
	UHC	NR	10.3%	9.4%	Below 50th
Substance Use Disorder (SUD) Treatment Rate, 12-64 Years	Statewide†	37.7%	38.4% ▲	37.8% ▼	Below Benchmark
	AMG	38.3%	38.9%	37.0% ▼	Below Benchmark
	CCW	34.8%	35.2%	35.9%	Below Benchmark
	CHPW	38.6%	39.6%	39.5%	At Benchmark
	MHW	38.0%	38.5%	37.7% ▼	Below Benchmark
	UHC	37.5%	39.0%	38.7%	At Benchmark

Measure Description	MCO	MY2019 Rate	MY2020 Rate	MY2021 Rate	MY2021 Performance**
Substance Use Disorder (SUD) Treatment Rate, 12-17 Years	Statewide†	28.2%	24.4% ▼	22.8%	Below Benchmark
	AMG	29.5%	27.5%	26.0%	At Benchmark
	CCW	27.9%	23.2%	24.4%	At Benchmark
	CHPW	27.4%	21.4% ▼	16.8%	Below Benchmark
	MHW	28.5%	25.1% ▼	22.7%	Below Benchmark
	UHC	26.6%	23.6%	25.6%	At Benchmark
Substance Use Disorder (SUD) Treatment Rate, 12-26 Years	Statewide†	30.5%	27.8% ▼	25.7% ▼	Below Benchmark
	AMG	33.2%	31.0%	27.6% ▼	Below Benchmark
	CCW	29.1%	26.0% ▼	25.8%	Below Benchmark
	CHPW	30.5%	27.3% ▼	26.9%	Below Benchmark
	MHW	30.4%	27.5% ▼	24.6% ▼	Below Benchmark
	UHC	30.3%	29.5%	27.7%	At Benchmark
Substance Use Disorder (SUD) Treatment Rate, 18-64 Years	Statewide†	37.6%	39.1% ▲	38.3% ▼	Below Benchmark
	AMG	37.6%	39.1% ▲	37.2% ▼	Below Benchmark
	CCW	35.0%	36.3%	36.7%	Below Benchmark
	CHPW	38.4%	40.4% ▲	40.3%	Above Benchmark
	MHW	38.1%	39.1% ▲	38.3% ▼	Below Benchmark
	UHC	37.0%	39.3% ▲	39.0%	At Benchmark
Mental Health Service Rate, Broad Definition (MH-B), 6-64 Years	Statewide†	56.0%	53.9% ▼	54.3% ▲	Below Benchmark
	AMG	54.4%	51.5% ▼	52.7% ▲	Below Benchmark
	CCW	57.7%	55.4% ▼	54.0% ▼	Below Benchmark
	CHPW	55.1%	54.0% ▼	54.6%	Below Benchmark
	MHW	57.2%	55.3% ▼	55.4%	At Benchmark
	UHC	51.3%	48.9% ▼	50.6% ▲	Below Benchmark
Mental Health Service Rate, Broad Definition (MH-B), 6-17 Years	Statewide†	66.4%	64.0% ▼	66.5% ▲	Above Benchmark
	AMG	66.4%	60.0% ▼	65.5% ▲	At Benchmark
	CCW	69.7%	67.5% ▼	67.4%	Above Benchmark
	CHPW	64.3%	61.0% ▼	63.8% ▲	At Benchmark
	MHW	66.4%	64.6% ▼	67.1% ▲	Above Benchmark
	UHC	63.5%	61.1% ▼	65.6% ▲	Above Benchmark
Mental Health Service Rate, Broad Definition (MH-B), 6-26 Years	Statewide†	63.6%	60.6% ▼	62.3% ▲	Above Benchmark
	AMG	63.8%	57.3% ▼	61.4% ▲	At Benchmark
	CCW	66.0%	63.2% ▼	62.5%	Above Benchmark
	CHPW	61.8%	58.9% ▼	61.0% ▲	At Benchmark
	MHW	63.7%	61.2% ▼	62.9% ▲	Above Benchmark
	UHC	61.3%	58.3% ▼	61.0% ▲	At Benchmark
Mental Health Service Rate, Broad Definition (MH-B), 18-64 Years	Statewide†	50.1%	50.1%	50.0%	Below Benchmark
	AMG	50.1%	49.7%	50.0%	Below Benchmark
	CCW	49.2%	48.3%	47.1% ▼	Below Benchmark
	CHPW	50.1%	51.5% ▲	51.6%	At Benchmark
	MHW	51.2%	51.3%	50.8% ▼	Below Benchmark
	UHC	46.5%	46.1%	47.3% ▲	Below Benchmark

Legend:

▲ Measure result is statistically significant above prior year (p < 0.05)
 ▼ Measure result is statistically significant below prior year (p < 0.05)

	Can report benchmark
	Rotated measures*

† Statewide Weighted Rate

* In March 2020, NCQA recognized that COVID-19 would likely impact plans’ ability to collect medical record data due to travel bans, quarantines, and efforts to minimize risk to staff. Therefore, NCQA allowed Medicaid plans participating in HEDIS reporting the option of submitting 2019 rates for their hybrid measures (“rotated measures”).

** 2021 performance indicates whether a measure is statistically different than national benchmarks.

*** Rates suppressed when the denominator is less than 30.

NR There was no data to report.